

# Conductivity transmitter Liquisys CLM223

## Compact panel device for all industries



Mais informações e preço atual:

[www.br.endress.com/CLM223](http://www.br.endress.com/CLM223)

### Benefícios:

- More operational safety: Continuous process check system, customized alarm configuration, calibration plausibility check.
- Broad functionality: Conductivity, resistivity and concentration measurement, ultrapure water monitoring according to USP and EP.
- Easy to operate and service: Intuitive user interface, easy calibration, direct access for manual contact control.
- Reduced maintenance: Automatic cleaning function (with Chemoclean) triggered by alarm or limit switch.
- Fit for every application: Numerous extensions, such as P(ID) controller, timer, etc., allow for flexible adaption to all processes.

### Especificações resumidas

- **Input** 1-channel transmitter
- **Output / communication** 0/4-20 mA, Hart, Profibus.
- **Ingress protection** IP65

**Campo de aplicação:** Liquisys CLM223 is a standard transmitter for all analog conductivity sensors. It improves your operational safety thanks to continuous plausibility, process and sensor checks. Select from numerous hardware and software modules, such as relays or fieldbus communication, to adapt it exactly to your measuring task. This modularity also allows you to upgrade the transmitter at any time. A simple menu and calibration make configuration and operation fast and easy.

### Características e especificações

## Conductivity

### Measuring principle

Conductive

### Application

Water, waste water, process

### Characteristic

4-wire transmitter with a two-line display.

### Design

Panel-mounted transmitter for conductivity

### Dimension

96x96 mm, built-in-depth: 146 mm

### Temperature sensor

Display and current output

### Ex certification

No

### Ingres protection

IP65

### Input

1-channel transmitter

### Output / communication

0/4-20 mA, Hart, Profibus.

### Additional certifications

CSA Gen. Purpose

Mais informações [www.br.endress.com/CLM223](http://www.br.endress.com/CLM223)